

Message

From: Reese, Diane [Reese.Diane@epa.gov]
Sent: 10/10/2018 4:02:03 PM
To: Hiser, David [Hiser.David@epa.gov]; Clarage, Meredith [Clarage.Meredith@epa.gov]
CC: Wool, Lisa [wool.lisa@epa.gov]; Rathbone, Rachel [Rathbone.Rachel@epa.gov]
Subject: RE: Craft-Turney - Sample Analysis Update

I am not sure if DW samples will come today or tomorrow. Should know soon
David, Please work with lisa on the 24 samples that we are expecting during analysis; also perform peer review in case you need to analyze next week
Meredith is peer reviewing the ICAL and DOC data that are electronic in peer review folder.
Meredith will check to see if adequate extract from DOC is left to measure adding ISTD. If yes, then the DOC can be analyzed by GC/MS [this is not critical though but good backup]
GC/MS analysis should be used only to confirm positive hits; will update you if this changes.

From: Hiser, David
Sent: Wednesday, October 10, 2018 10:47 AM
To: Reese, Diane <Reese.Diane@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Oh you meant I can peer review the samples that come in today? Sorry I'm confused

David Spencer Hiser

Chemist
EPA Region 6
Houston Lab
281.983.2125

From: Reese, Diane
Sent: Wednesday, October 10, 2018 10:38 AM
To: Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Only to confirm positive hits, if any

From: Hiser, David
Sent: Wednesday, October 10, 2018 10:37 AM
To: Reese, Diane <Reese.Diane@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Are we running all the samples or only the ones that have hits?

David Spencer Hiser

Chemist
EPA Region 6
Houston Lab
281.983.2125

From: Reese, Diane
Sent: Wednesday, October 10, 2018 10:35 AM
To: Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Meredith is working on ICAL and DOC. You can do the samples that come in today.

thanks

From: Hiser, David
Sent: Wednesday, October 10, 2018 10:33 AM
To: Reese, Diane <Reese.Diane@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

I figured I would do the peer review and that will help me if I need to do analysis next week,

David Spencer Hiser

Chemist
EPA Region 6
Houston Lab
281.983.2125

From: Reese, Diane
Sent: Wednesday, October 10, 2018 9:28 AM
To: Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Thank you. I will also need a peer reviewer for Lisa's analysis, too, if y'all can help. Rachel has prep tying her up.

From: Hiser, David
Sent: Wednesday, October 10, 2018 9:24 AM
To: Reese, Diane <Reese.Diane@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Yes, I mentioned to Meredith earlier that I was gonna do that. Going back there now.

David Spencer Hiser

Chemist
EPA Region 6
Houston Lab
281.983.2125

From: Reese, Diane
Sent: Wednesday, October 10, 2018 9:01 AM
To: Clarage, Meredith <Clarage.Meredith@epa.gov>; Hiser, David <Hiser.David@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

If you guys can upload ICAL electronically to peer review, portfolio folder, I can review it.

thanks

From: Clarage, Meredith
Sent: Wednesday, October 10, 2018 8:25 AM
To: Reese, Diane <Reese.Diane@epa.gov>; Wool, Lisa <wool.lisa@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; Humphrey, Marvelyn <humphrey.marvelyn@epa.gov>; Mathew, Johnson <mathew.johnson@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>; Hiser, David <Hiser.David@epa.gov>
Cc: Winn, Regina <Winn.Regina@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

We have a good calibration on GC/MS for MBT and 8141 surrogates.

From: Reese, Diane
Sent: Tuesday, October 09, 2018 4:10 PM
To: Wool, Lisa <wool.lisa@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; Humphrey, Marvelyn <humphrey.marvelyn@epa.gov>; Mathew, Johnson <mathew.johnson@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>; Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Cc: Winn, Regina <Winn.Regina@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

We will use the 525 collected sample. The unpreserved is for Johnson's IC.

From: Wool, Lisa
Sent: Tuesday, October 09, 2018 4:10 PM
To: Reese, Diane <Reese.Diane@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; Humphrey, Marvelyn <humphrey.marvelyn@epa.gov>; Mathew, Johnson <mathew.johnson@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>; Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Cc: Winn, Regina <Winn.Regina@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

Which one do we use for extraction/analysis?

From: Reese, Diane
Sent: Tuesday, October 9, 2018 4:08 PM
To: McQuiddy, David <Mcquiddy.David@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; Humphrey, Marvelyn <humphrey.marvelyn@epa.gov>; Mathew, Johnson <mathew.johnson@epa.gov>; Wool, Lisa <wool.lisa@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>; Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Cc: Winn, Regina <Winn.Regina@epa.gov>
Subject: RE: Craft-Turney - Sample Analysis Update

I just got off the phone with the samplers. **They will collect one bottle unpreserved and one bottle preserved per 525.2 with HCl and sodium sulfite.**

Wes, I believe there was a miscommunication about the chlorothalonil sample collection between lab and samplers. They did properly collect the first set of bottles that were shipped to the private lab for 525.2 analysis (i.e. sodium sulfite was used) even though I was told sodium arsenite was used. The lab prepared the bottles for them and will for our event, too.

thanks

From: McQuiddy, David
Sent: Tuesday, October 09, 2018 3:53 PM
To: McMillin, Rick <McMillin.Rick@epa.gov>; Humphrey, Marvelyn <humphrey.marvelyn@epa.gov>; Mathew, Johnson <mathew.johnson@epa.gov>; Wool, Lisa <wool.lisa@epa.gov>; Reese, Diane <Reese.Diane@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>; Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Cc: Winn, Regina <Winn.Regina@epa.gov>
Subject: Craft-Turney - Sample Analysis Update

I have just spoken with EPA incident lead – Jim Brown of Water Division.

Current thinking is that we will receive appx. 24 samples for MBT analysis sometime tomorrow.

We will analyze with the GC technique, and possibly the IC technique if it looks promising by the time samples arrive.

If there are no detects (anticipated/predicted by Jim due to continuous water system flushing), then probability of additional samples is minimal.

We should strive for as quick a TAT for draft/preliminary data report as reasonable during normal work hours.

Wes McQuiddy
Chief, Environmental Services Branch
EPA Region 6 (6MD-H)
10625 Fallstone Road
Houston, Texas 77099
214-665-6722

This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance, or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies.



From: McQuiddy, David
Sent: Tuesday, October 9, 2018 12:18 PM
To: McMillin, Rick <McMillin.Rick@epa.gov>; Marvelyn Humphrey (<humphrey.marvelyn@epa.gov>); Mathew, Johnson <mathew.johnson@epa.gov>; Lisa Wool (<wool.lisa@epa.gov>); Reese, Diane <Reese.Diane@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>; Hiser, David <Hiser.David@epa.gov>; Clarage, Meredith <Clarage.Meredith@epa.gov>
Cc: Winn, Regina <Winn.Regina@epa.gov>
Subject: Craft-Turney - People Plus Instruction

A. Currently, there is no site code for our Craft-Turney work, and possibly will not be one in the future.

- B. If you require(d) Overtime hours, over your normal work hours + max DFS credit hours, then let me know and add the Comment = "Craft-Turney Drinking Water Incident XXhrs" to your regular work hours line in PeoplePlus.
- C. Other than OT incurred over the Holiday weekend, our current operational goal this week is normal work hours. Stay tuned, as this could change.

Wes McQuiddy
Chief, Environmental Services Branch
EPA Region 6 (6MD-H)
10625 Fallstone Road
Houston, Texas 77099
214-665-6722

This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance, or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies.



From: McQuiddy, David
Sent: Tuesday, October 9, 2018 8:46 AM
To: McMillin, Rick <McMillin.Rick@epa.gov>; Marvelyn Humphrey (humphrey.marvelyn@epa.gov) <humphrey.marvelyn@epa.gov>; Mathew, Johnson <mathew.johnson@epa.gov>; Lisa Wool (wool.lisa@epa.gov) <wool.lisa@epa.gov>; Reese, Diane <Reese.Diane@epa.gov>; Rathbone, Rachel <Rathbone.Rachel@epa.gov>; Warren, Christy <warren.christy@epa.gov>
Subject: Craft-Turney - Lab Instruction & Update

1. Please send me your overtime hours worked (**include # hrs by day/date**) - - - Rick, I already have yours
2. We are expecting 24 Craft-Turney drinking water system samples this evening for MBT analysis - - - Marvelyn, if I meet TCEQ afterhours, is it okay to put coolers in our sample log-in/walk-in for processing tomorrow/Wednesday morning?
3. Diane (281-723-5296) is technical lead in Rick's absence
4. Marvelyn, I'll need your assistance & attention for all procurements and data review
5. FYI – Water Division update for today is attached & also, TCEQ news release from yesterday

Wes McQuiddy
Chief, Environmental Services Branch
EPA Region 6 (6MD-H)
10625 Fallstone Road
Houston, Texas 77099
214-665-6722

This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance, or distribution by others or forwarding without express

permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies.



From: Brown, Jamesr
Sent: Tuesday, October 9, 2018 8:30 AM
To: Gray, David <gray.david@epa.gov>
Cc: Maguire, Charles <maguire.charles@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>; Rhotenberry, William <Rhotenberry.William@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Smith, Monica <smith.monica@epa.gov>; Ngo, Kim <Ngo.Kim@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>; Garcia, David <Garcia.David@epa.gov>
Subject: RE: 10-9-2018 Craft-Turney Update and 10-8-2018 TCEQ News Release

James R. Brown, P.G.
Associate Director
Safe Drinking Water Branch
Water Division
U.S. EPA Region 6
1445 Ross Avenue (Mail Code: 6WQ-S)
Dallas, Texas 75202-2733
Phone: (214) 665-3175

<http://www.epa.gov/region6/water/index.htm>



From: Brown, Jamesr
Sent: Monday, October 08, 2018 1:20 PM
To: Gray, David <gray.david@epa.gov>
Cc: Maguire, Charles <maguire.charles@epa.gov>; Edlund, Carl <Edlund.Carl@epa.gov>; Rhotenberry, William <Rhotenberry.William@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Smith, Monica <smith.monica@epa.gov>; Ngo, Kim <Ngo.Kim@epa.gov>; McMillin, Rick <McMillin.Rick@epa.gov>; McQuiddy, David <Mcquiddy.David@epa.gov>
Subject: Re: Craft-Turney Short Update

I haven't received the 10/7 update from TCEQ yet, but our Houston Lab received the 99% technical standard at about 10 am this morning that they will use to develop an analytical method for MBT.

A note from TCEQ early this afternoon reported the highest level of chlorothalonil to be 101 ppm.

Sent from my iPhone

On Oct 7, 2018, at 1:19 PM, Gray, David <gray.david@epa.gov> wrote:

Thanks

Sent from my iPhone

On Oct 7, 2018, at 12:48 PM, Brown, Jamesr <brown.jamesr@epa.gov> wrote:

Attached are the Craft-Turney Updates and the New Release issued by TCEQ last evening.

I'll continue to monitor email to see if any updates occur throughout the weekend and Monday.

Jim

James R. Brown, P.G.

Associate Director

Safe Drinking Water Branch

Water Division

U.S. EPA Region 6

1445 Ross Avenue (Mail Code: 6WQ-S)

Dallas, Texas 75202-2733

Phone: (214) 665-3175

<http://www.epa.gov/region6/water/index.htm>

<image001.jpg> <image002.jpg>

<Craft Turney Oct 6 2018.docx>

<News Release-Craft-Turney-2018-10-5 (003) (002).docx>